New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Female NJ Residents

		Adult/Ado	lescent *		Pediat	ric *			Tota	al
1.	Current HIV/AIDS Category	Cases	% 		Cases	%			ases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	1781 3669 5850	16		52 0 142	2	7 0 3		1833 3669 5992	16 32 52
	Total	11300			194	10			1494	100
2.	Current Age * Cases %	3. Race/	Eth.		Adult/ Cases	8	Pedia Cases	용	Tota Cases	양
	<pre><5</pre>	White Black Hispa Other	, Not Hispa , Not Hispa	nic	1928 7136 2042 194	17 63 18 2	20 143	10 74 14 #	1948 7279 2069 198	17 63 18 2
	30-39 3260 28 40-49 4834 42 50+ 2268 20 Unk. 0 0	Total			11300		194		11494	
	Total 11494 100									
4.	Patient Group		Adu Males	ılt/A	dolescen	t Trai				
			Males	~~~			2S 6 		Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		0 0 0 0	0 0 0 0		360			360 439 313	0 0
	Total		<u>-</u> 0	0			 3 100		1113	
			Males	Pe	diatric	Transı Femal		n Mod	es Tota	al %
	Parent at risk/has AIDS/HIV Risk not reported/other***		0 0	0		34	 0 94 1 6		2	10 94 21 6
	Total		0	0			 1 100		36	 51 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of June 2004.
- ** 167 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Female NJ Residents

	Adult/Adolescent*	Pediatric*	Total
1. Disease Category	Cases (%) Deaths (%)	Cases (%) Deaths (%)	Cases (%) Deaths (%)
PCP Other OI w/o PCP KS Alone No Disease Listed	3431 (26) 2759 (80) 3792 (29) 2771 (73) 31 (0) 23 (74) 5827 (45) 2159 (37)	124 (33) 99 (80) 248 (67) 140 (56) 0 (0) 0 (.) 0 (0) 0 (.)	3555 (26) 2858 (80) 4040 (30) 2911 (72) 31 (0) 23 (74) 5827 (43) 2159 (37)
Total	13081 (100) 7712 (59)	372 (100) 239 (64)	13453 (100) 7951 (59)
2. Age * Cases	% 3. Race/Eth.	Adult/Adl* Pediatric* Cases % Cases %	Total Cases %
Under 5 268	2 White, Not Hispanic	2421 19 60 16	2481 18

2. Age *	Cases	용	3. Race/Eth.	Cases	용	Cases	용	Cases	용
Under 5	268	2	White, Not Hispanic	2421	19	60	16	2481	18
5-12	104	1	Black, Not Hispanic	8680	66	244	66	8924	66
13-19	94	1	Hispanic	1905	15	64	17	1969	15
20-29	2264	17	Other/Unknown	75	1	#	#	79	1
30-39	6207	46							
40-49	3297	25	Total	13081	100	372	100	13453	100
Over 49	1219	9							
Unknown	0	0							
Total	13453	100							

4. Patient Gro	oup
----------------	-----

Patient Group	Adult/Adolescent Transmission Modes **							
	Males	용	Females	응	Total	용		
Men sex with men (MSM)	0	0	0	0	0	0		
Injection drug user (IDU)	0	0	5969	46	5969	46		
MSM/IDU	0	0	0	0	0	0		
Heterosexual contact	0	0	4606	35	4606	35		
Risk not reported/other***	0	0	2488	19	2488	19		
Total	0	0	13063	100	13063	100		

	Pediatric Transmission Modes					
	Males	용	Females	용	Total	용
Parent at risk/has AIDS/HIV	0	0	374	96	374	96
Risk not reported/other***	0	0	16	4	16	4
Total	0	0	390	100	390	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

^{** 18} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent

reports in tables 1,2, and 3; and as pediatric reports in table 4. *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Female NJ Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	106	95	90%
1985	166	159	96%
1986	263	246	94%
1987	402	383	95%
1988	450	420	93%
1989	598	528	88%
1990	679	613	90%
1991	731	662	91%
1992	964	816	85%
1993	1538	1132	74%
1994	1231	771	63%
1995	1162	627	54%
1996	1003	424	42%
1997	844	311	37%
1998	626	207	33%
1999	625	185	30%
2000	564	140	25%
2001	517	123	24%
2002	470	65	14%
2003	382	40	10%
2004	132	#	3%
Total	13453	7951	59%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Female NJ Residents

				Adult/A	Adl*	Pediat	ric*	Total	
1. Age *	Cases	용	Race/Ethnicity	Cases	용	Cases	용	Cases	용
Under 5	180	3	White, Not Hispanic	1083	17	29	13	1112	17
5-12	40	1	Black, Not Hispanic	4108	64	149	68	4257	64
13-19	233	3	Hispanic	1128	17	36	16	1164	17
20-29	1822	27	Other/Unknown	144	2	6	3	150	2
30-39	2656	40							
40-49	1301	19	Total	6463	100	220	100	6683	100
Over 49	451	7							
Unknown	0	0							
Total	6683	100							

Patient Group	Adı	ult/Adol	escent Transı	mission M	Modes **	
-	Males	8	Females	용	Total	ଚ
Men sex with men (MSM)	0	0	0	0	0	0
Injection drug user (IDU)	0	0	2118	33	2118	33
MSM/IDU	0	0	0	0	0	0
Heterosexual contact	0	0	2377	37	2377	37
Risk not reported/other***	0	0	1968	30	1968	30
Total	0	0	6463	100	6463	100
		Pedia	tric Transmi	ssion Mod	les	
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	0	203	92	203	92
Risk not reported/other***	0	0	17	8	17	8
Total		0	220	100	220	100

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Female NJ Residents

1.	Current H			Cases	Adolescent *	Case	liatri es	%	Cases			
	AIDS-Any (AIDS-CD4 (HIV Only	Only			9 37 4 30 3 33	1 22	76 4 20	2 36			29	
	Total			19520			.0				00	
2.				3. Race/Et		Cases	%		용		ases	tal %
	Under 5 5-12 13-19 20-29 30-39	486 124 419 4856 8732	2 1 2 24	Black, Hispani	Not Hispanic Not Hispanic ic Jnknown		18 65 16 1	40 10	0 15 5 66 5 17 0 2	:	3593 13181 3133 229	65 16
	40-49 Over 49 Unknown	4004 1515 0	20 8 0	Total		19526					20136	100
4.	Total Patient G:		100		Adu Males			Transmis emales	sion Modes %	** Total	00	
	Men sex wi Injection MSM/IDU Heterosex Risk not	drug user	MSM) (IDU) ther***	·	0	0		0 8087 4 0 6983 3 4456 2	0 1 0 6 3	0 8087 0 6983 4456	41 0 36 23	
	Total				0	0		.9526 10		19526	100	
						Pediati	ric Tr	ransmissi	on Modes			

0 0

0 0

Males % Females % Total %

577 95 33 5 -------610 100

577 95

33 5

610 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Parent at risk/has AIDS/HIV

Risk not reported/other***

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Female NJ Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	131	113	86%
1985	239	208	87%
1986	404	331	82%
1987	613	509	83%
1988	752	616	82%
1989	1009	769	76%
1990	1231	880	71%
1991	1388	927	67%
1992	2204	1118	51%
1993	1911	900	47%
1994	1631	647	40%
1995	1440	494	34%
1996	1240	295	24%
1997	1131	228	20%
1998	884	172	19%
1999	882	154	17%
2000	876	114	13%
2001	740	84	11%
2002	717	52	7%
2003	559	25	4%
2004	154	6	4%
Total	20136	8642	43%